

Wheel Accessories Catalogue

Table Of Contents

Acorn Lug Nut Covers	Page 1	Bullet Lug Nut Covers Blister Pack	Page 5
Standard Lug Nut Covers	Page 1	Lug Nut Puller	Page 5
Bullet Lug Nut Covers	Page 2	Chrome Hub Caps & Adaptors	Page 5 To Page 8
Standard Lug Nut Covers With Flange	Page 2	Stainless Steel Hub Caps	Page 9
Bullet Lug Nut Covers With Flange	Page 3	Chrome Axle Covers	Page 9 To Page 10
Pointed Lug Nut Covers With Flange.	Page 3	Stainless Steel Wheel Covers	Page 10 to Page 11
Flat Top Lug Nut Covers With Flange	Page 4	Stainless Steel Wheel Simulator Kits	Page 12
Alcoa Lug Nut Covers With Flange	Page 4	Stainless Steel Wheel Inserts	Page 13
Standard Lug Nut Covers Blister Pack	Page 4		

Our Locations

Head Office

7/1927 Ipswich Rd
Rocklea Qld
Ph: 61 7 3277 5377
Fax: 61 7 3275 1863

Browns Plains

11 Elliott Ct
Browns Plains
Ph : 61 7 3806 6555
Fax :61 7 3806 6444

Burpengary

1 Brewers St
Burpengary
Ph : 61 7 3888 7755
Fax : 61 7 3888 7766

ACORN LUG NUT COVERS.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC3/8	3/8"	5/8"	ACORN	NO	ZINC DIE CAST
NC7/16	7/16"	5/8"	ACORN	NO	ZINC DIE CAST
NC1/2	1/2"	11/16"	ACORN	NO	ZINC DIE CAST
NC9/16	9/16"	11/16"	ACORN	NO	ZINC DIE CAST
NC5/8	5/8"	3/4"	ACORN	NO	ZINC DIE CAST
NC11/16	11/16"	13/16"	ACORN	NO	ZINC DIE CAST
NC3/4	3/4"	15/16"	ACORN	NO	ZINC DIE CAST
NC7/8	7/8"	1-1/8"	ACORN	NO	ZINC DIE CAST

STANDARD LUG NUT COVERS.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC15/16	15/16"		STANDARD	NO	STEEL
NC1	1"	1-1/4"	STANDARD	NO	STEEL
NC1116	1-1/16"	1-1/8"	STANDARD	NO	STEEL
NC118	1-1/8"	1-1/4"	STANDARD	NO	STEEL
NC1316	1-3/16"		STANDARD	NO	STEEL
NC125	1-1/4"		STANDARD	NO	STEEL
NC41	41mm	2"	STANDARD	NO	STEEL
NC41SS	41mm		STANDARD	NO	STAINLESS STEEL

BULLET LUG NUT COVERS.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC1516	1-5/16"		BULLET	NO	STEEL
NC34	34.5mm	1-7/8"	BULLET	NO	STEEL
NC15	1-1/2"	2"	STANDARD	NO	STEEL

STANDARD LUG NUT COVERS WITH FLANGE.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC118F	1-1/8"	1-5/8"	STANDARD	YES	STEEL
NC125LF	1-1/4"	2"	STANDARD	YES	STEEL
NC15F	1-1/2"		STANDARD	YES	STEEL
NC41F	41mm		STANDARD	YES	STEEL
NC41LF	41mm		STANDARD	YES	STEEL

BULLET LUG NUT COVERS WITH FLANGE.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC1516F	1-5/16"		BULLET	YES	STEEL
NC1516FSS	1-5/16"		BULLET	YES	STAINLESS STEEL



NC33FPP	33mm		BULLET	YES	PLASTIC
---------	------	--	--------	-----	---------

POINTED LUG NUT COVERS WITH FLANGE.




Part No :	Size :	Height :	Shape :	Flange :	Material :
NC33FP	33mm	2-5/8"	POINTED	YES	PLASTIC



NC-1493 *	33mm	2-1/2"	POINTED	YES	PLASTIC
-----------	------	--------	---------	-----	---------

* Replacement Nut Cover to Suit 1493 ABS Covers.

FLAT TOP LUG NUT COVERS WITH FLANGE.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC31F	31mm		FLAT TOP	YES	STEEL
NC32F	32mm		FLAT TOP	YES	STEEL
NC33F	33mm		FLAT TOP	YES	STEEL

ALCOA LUG NUT COVERS WITH FLANGE.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC1516FP	1-5/16"		BULLET	YES	PLASTIC

STANDARD LUG NUT COVERS BLISTER PACK.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC125BP Pack of 12	1-1/4"		STANDARD	NO	STEEL

BULLET LUG NUT COVERS BLISTER PACK.



Part No :	Size :	Height :	Shape :	Flange :	Material :
NC1516FBP Pack of 10	1-5/16"		BULLET	YES	STEEL


LUG NUT PULLER.



NCP


Lug Nut Puller Adjustable

CHROME HUB CAPS & ADAPTORS.



1154	6" Chrome Hub Cap. (NEW).
1252	6" Rear Chrome Hub Cap. Suits Fruehauf Plastic Axle Cap. Can be used on Stemco Front Axle Cap.
1155	6-1/2" Chrome Hub Cap. (NEW).
1253	7-1/4" Front Chrome Plastic Hub Cap. * Screw-On Cap with Adaptor.
1298	7-1/4" Rear Chrome Hub Cap. Suits some Mack Applications. * Can be used on Stemco Front Axle with 9000C Clips.
1480	7-5/8" Rear Chrome Hub Cap. Suits some Volvo Applications.
1151	8" Rear Chrome Hub Cap. Suits some Rockwell Axles. * Can be used on Stemco Front Axle with 1451 Adaptor. * Can be used on Stemco Front Axle with 9001C Clips. (NEW).
1151G	8" Rear Brass Plated (Gold Color) Hub Cap. Suits some Rockwell Axles. * Can be used on Stemco Front Axle with 1451 Adaptor. * Can be used on Stemco Front Axle with 9001C Clips. (NEW).

CHROME HUB CAPS & ADAPTORS (CONT)



- 1151P 8" Rear Chrome Cone Shaped Hub Cap. Suits some Rockwell Axles. (NEW).
 * Can be used on Stemco Front Axle with 1451 Adaptor.
 * Can be used on Stemco Front Axle with 9001C Clips. (NEW).
-



- 1458 8" Rear Chrome Hub Cap with 4-3/4" Hole for Hubodometer.
-



- 1152 8-1/2" Rear Chrome Hub Cap. Suits some Mack Applications.
 1228 8-1/8" Rear Chrome Hub Cap. Suits some Rockwell Axles.
 1153 8-1/4" Rear Chrome Hub Cap.
-



- 1491 8-5/8" Front Chrome Hub Cap. Suits Alloy Wheels.
 *4 Cut-Outs - 4 Clips.
-



- 1491P 8-5/8" Front Chrome Cone Shaped Hub Cap. Suits Alloy Wheels. (NEW).
 *4 Cut-Outs - 4 Clips.
-

CHROME HUB CAPS & ADAPTORS (CONT)



- 1491H 8-5/8" Front Chrome Hub Cap with 4-3/4" Hole for Hubodometer.
* 4 Cut-Outs - 4 Clips.
-



- HB10 9-1/4" Rear Moon Style Chrome Hub Cap. Suits some Volvo Application.
* Use with 7001080 5/8" I.D. Clips.
-

- 1494 11" Front Chrome Hub Cap. Suits 335mm P.C.D. Wheels.
• 5 Cut-Outs – 5 Clips.



- 7001080 Clip Spring Steel for use with HB10 Rear Hub Cap.
* Suits 5/8" Axle Stud.
-



- 1451 Adaptor Plate for Stemco Front Axle Cap. (Multi-Drilled) Use 8" Hub Cap.
-




CHROME HUB CAPS & ADAPTORS (CONT)



1451P Adaptor Plate for Plastic Axle Cap. Use 8" Cap.

HUBA Adaptor Plate for Stemco Front Axle Cap. Use 8" Hub Cap.
 • 2 Required per Cap.



9000C Clip Spring Steel for Stemco Front Axle Cap. Use 7-1/4" Hub Cap.
 * 3 Required per Cap.

9001C Clip Spring Steel for Stemco Front Axle Cap. Use 8" Hub Cap. (NEW).
 * 3 Required per Cap.



10511 Clip Set to Suit Alcoa Front Hub Caps.
 * 4 Required per Cap.

STAINLESS STEEL HUB CAPS.



- 1298SS 7-1/4" Rear Stainless Steel Hub Cap. Suits some Mack Applications.
* Can be used on Stemco Front Axle Cap with 9000C Clips.
- 1151SS 8" Rear Stainless Steel Hub Cap. Suits some Rockwell Axles.
* Can be used on Stemco Front Axle with 1451 Adaptor.
* Can be used on Stemco Front Axle with 9001C Clips. (NEW).
- 1228SS 8-1/8" Rear Stainless Steel Hub Cap. Suits some Rockwell Axles.
- 1491SS 8-5/8" Front Stainless Steel Hub Cap. Suits Alloy Wheels.
* 4 Cut-Outs - 4 Clips.

CHROME AXLE COVERS.



- 1493 11-1/4" Front Chrome ABS Plastic Axle Cover with Nut Covers. (NEW).
* Nut Covers Screw Down on the Stud Threads and Interlock into Cover.
* Fits 10 Stud with 11-1/4" (285mm) P.C.D.
* Replacement Nut Cover NC-1493.



- 4019H 8-1/2" Front Chrome Axle Cover with 3-1/2" Inspection Hole.
* N.B. 2018 Beauty Ring is Required to Attach Axle Cover.
* Fits 10 Stud with 11-1/4" (285mm) P.C.D.

- 335 13-1/4" Front Stainless Steel Axle Cover.
* Fits 10 Stud with 13-1/4" (335mm) P.C.D.



2016 8-1/2" Rear Chrome Axle Cover (9" High).
 * N.B. 2018 Beauty Ring is Required to Attach Cover.
 * Fits 10 Stud with 11-1/4" (285mm) P.C.D.

2017 8-1/2" Rear Chrome Axle Cover (9" High). Removable Hub Cap
 * N.B. 2018 Beauty Ring is Required to Attach Cover.
 * Fits 10 Stud with 11-1/4" (285mm) P.C.D.



2018 11-1/4" Chrome Beauty Ring 10 Hole.
 * Use with 4019H, 2016 and 2017 Covers.



STAINLESS STEEL WHEEL COVERS.

160R 16" Stainless Steel Rear Wheel Cover with Mounting Bracket.



335-RING 16-1/2" Stainless Steel Front Wheel Ring. Open Centre. (NEW).
 * Used as Step on European Applications.
 * Fits 10 Stud with 13-1/4" (335mm) P.C.D.
 * HB10 Chrome Hub Cap can be Fitted to Centre with Silastic.



335-RINGC 16-1/2" Stainless Steel Front Wheel Ring. Covered Centre. (NEW).
 * Used as Step on European Applications.
 * Fits 10 Stud with 13-1/4" (335mm) P.C.D.

STAINLESS STEEL WHEEL COVERS (CONT).



- 195F 19.5" Stainless Steel Front Wheel Cover with Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver.
- 195R 19.5" Stainless Steel Rear Wheel Cover with Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver.
-



- 225F 22.5" Stainless Steel Front Wheel Cover with Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver.
- 225R 22.5" Stainless Steel Rear Wheel Cover with Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver.
- 225FSS 22.5" Stainless Steel Front Wheel Cover with Fixed Nut Covers, Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver. (NEW).
- 225RSS 22.5" Stainless Steel Rear Wheel Cover with Fixed Nut Covers, Mounting Ring and Screws.
* Supplied with Anti-Theft Screws and Screwdriver. (NEW).
- 225RING 22.5" Mounting Ring to Suit 225F, 225R, 225FSS and 225RSS Wheel Covers.
- 225SCREW Stainless Steel Screw with Special Hex Head to Suit 175, 195 and 225 Wheel Covers.
- 225S/DRIVER Screwdriver with Special Hex Head to Suit 175, 195 and 225 Wheel Covers.
-

STAINLESS STEEL WHEEL SIMULATOR KITS.



- 135007 15" x 5.5 Stainless Steel Wheel Simulator Kit. Suits 5 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 115mm Offset with 35mm Nut Covers.
* 8" P.C.D.
- 135008-1 16" x 5.5 Stainless Steel Wheel Simulator Kit. Suits 5 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 115mm Offset with 41mm Nut Covers.
* 8.25" P.C.D.
- 135008-2 16" x 5.5 Stainless Steel Wheel Simulator Kit. Suits 5 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 115mm Offset with 41mm Nut Covers.
* 8" P.C.D.
- 5508 16" Stainless Steel Wheel Simulator Kit. Suits 8 Stud Wheels.
* Suits Ford and Chevy Dual Wheels.
* Kits Consist of 2 Front / Rear Covers with Nut Covers.
- 15610 16" x 6 Stainless Steel Wheel Simulator Kit. Suits 6 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 127mm Offset with 41mm Nut Covers.
* 8.75" P.C.D.
- 15620 16" x 6 Stainless Steel Wheel Simulator Kit. Suits 6 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 135mm Offset with 41mm Nut Covers.
* 8.75" P.C.D.
- 15630 17.5" x 6 Stainless Steel Wheel Simulator Kit. Suits 6 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 135mm Offset with 41mm Nut Covers.
* 8.75" P.C.D.
- 15140 22.5" Stainless Steel Wheel Simulator Kit. Suits 10 Stud Wheels.
* Kit Consists of 2 Front / Rear Covers with Nut Covers.
* 165mm Offset with 38mm Nut Covers.
-

STAINLESS STEEL WHEEL INSERTS.



RIM-MATE160	16" Stainless Steel Insert to Suit all 16" Wheels.
RIM-MATE175	17.5" Stainless Steel Insert to Suit 17.5" Spider or Disc Wheels.
RIM-MATE200	20" Stainless Steel Inserts to Suit all 20" Wheels.
RIM-MATEA	22.5" Stainless Steel Inserts to Suit Accuride Wheels.
RIM-MATEF	22.5" Stainless Steel Inserts to Suit Road King Spider Wheels.
RIM-MATEJ	22.5" Stainless Steel Inserts to Suit Disc Wheels.
